

## Author index

### Volume 120 (1996)

- A.D.E.P. Group, see Violi, F. 120, 25  
 Alperovitch, A., see Bizbiz, L. 120, 47  
 Angell, A.D.R., see Graham, A. 120, 135  
 Aoshima, K., see Morishita, E. 120, 7  
 Asakura, H., see Morishita, E. 120, 7  
 Attia, N., see Durlach, V. 120, 155
- Balazs, N.D., see Hodgson, J.M. 120, 147  
 Berr, C., see Bizbiz, L. 120, 47  
 Bizbiz, L., C. Bonithon-Kopp, P. Ducimetière, C. Berr, A. Alperovitch, L. Robert, Relation of serum elastase activity to ultrasonographically assessed carotid artery wall lesions and cardiovascular risk factors. The EVA study 120, 47  
 Blann, A.D., J.M. Wang, P.B. Wilson, S. Kumar, Serum levels of the TGF- $\beta$  receptor are increased in atherosclerosis 120, 221  
 Boissonneault, G.A., see Ramasamy, S. 120, 199  
 Bonithon-Kopp, C., see Bizbiz, L. 120, 47  
 Bostom, A.G., D. Shemin, D. Yoburn, D. H. Fisher, M.R. Nadeau, J. Selhub, Brief report 120, 241  
 Boxall, J.A., see Hodgson, J.M. 120, 147  
 Braeckman, L., D. De Bacquer, M. Rosseneu, G. De Backer, Apolipoprotein E polymorphism in middle-aged Belgian men: phenotype distribution and relation to serum lipids and lipoproteins 120, 67  
 Bresson, R., see Igau, B. 120, 209  
 Bult, H., see M. Kockx, M. 120, 115  
 Bultinck, J., see M. Kockx, M. 120, 115
- Castiglioni, C., see Violi, F. 120, 25  
 Chen, C.-J., see Tseng, C.-H. 120, 125  
 Chong, C.-K., see Tseng, C.-H. 120, 125  
 Cianflone, K., R. Kohen Avramoglu, C. Sawyez, M.W. Huff, Inhibition of lipoprotein lipase induced cholesterol ester accumulation in human hepatoma HepG2 cells 120, 101  
 Clavey, V., see Igau, B. 120, 209  
 Criqui, M., see Violi, F. 120, 25
- De Backer, G., see Braeckman, L. 120, 67  
 De Bacquer, D., see Braeckman, L. 120, 67
- de Fouw, N.J., see Wiseman, S.A. 120, 15  
 De Meyer, G.R.Y., see M. Kockx, M. 120, 115  
 Drouin, P., see Igau, B. 120, 209  
 Ducimetière, P., see Bizbiz, L. 120, 47  
 Duriez, P., see Igau, B. 120, 209  
 Durlach, V., N. Attia, A. Zahouani, M. Leutenegger, A. Girard-Globa, Postprandial cholesteryl ester transfer and high density lipoprotein composition in normotriglyceridemic non-insulin-dependent diabetic patients 120, 155
- Fiévet, C., see Igau, B. 120, 209  
 Fisher, D.H., see G. Bostom, A. 120, 241  
 Forster, B.A., Q. Javed, D.S. Leake, P.D. Weinberg, Letter to the Editors High-resolution mapping of the frequency of lipid deposits in thoracic aortae from cholesterol-fed and heritable hyperlipidaemic rabbits 120, 249  
 Fruchart, J.-C., see Igau, B. 120, 209  
 Fujioka, Y., see Takahashi, A. 120, 93  
 Færgeman, O., see Jensen, H.K. 120, 57
- George, S.J., A. Williams, A.C. Newby, An essential role for platelet-derived growth factor in neointima formation in human saphenous vein in vitro 120, 227  
 Girard-Globa, A., see Durlach, V. 120, 155  
 Graham, A., A.D.R. Angell, C.A. Jepson, S.J. Yeaman, D.G. Hassall, Impaired mobilisation of cholesterol from stored cholesteryl esters in human (THP-1) macrophages 120, 135  
 Graham, C.A., see Ward, A.J. 120, 83  
 Gregersen, N., see Jensen, H.K. 120, 57  
 Guo, H., see Ramasamy, S. 120, 199
- Hakamata, H., see Sugihara, Y. 120, 167  
 Hansen, P.S., see Jensen, H.K. 120, 57  
 Hashimoto, T., see Morishita, E. 120, 7  
 Hassall, D.G., see Graham, A. 120, 135  
 Haffner, S.M., see Kammerer, C.M. 120, 37  
 Härkönen, M., see Tikkanen, H.O. 120, 1  
 Hennig, B., see Ramasamy, S. 120, 199

- Herman, A.G., see M. Kockx, M. 120, 115  
 Hixson, J.E., see Kammerer, C.M. 120, 37  
 Hodgson, J.M., M.L. Wahlqvist, J.A. Boxall, N.D. Balazs, Platelet *trans* fatty acids in relation to angiographically assessed coronary artery disease 120, 147  
 Holmqvist, O., Letter to the Editors 120, 245  
 Horiuchi, S., see Suginoara, Y. 120, 167  
 Hosogaya, S., see Kinoshita, M. 120, 75  
 Huff, M.W., see Cianflone, K. 120, 101
- Igau, B., S. Lestavel, V. Clavey, C. Slomianny, P. Drouin, R. Bresson, J.-C. Fruchart, P. Duriez, C. Fiévet, Ishikawa, Y., see Takahashi, A. 120, 93
- Javed, Q., see Forster, B.A. 120, 249  
 Jensen, H.K., L.G. Jensen, P.S. Hansen, O. Færgeman, N. Gregersen, The Trp<sup>23</sup>-Stop and Trp<sup>66</sup>-Gly mutations in the LDL receptor gene: common causes of familial hypercholesterolemia in Denmark 120, 57  
 Jensen, L.G., see Jensen, H.K. 120, 57  
 Jepson, C.A., see Graham, A. 120, 135  
 Jokaji, H., see Morishita, E. 120, 7
- Kajinami, K., M. Nishitsuji, Y. Takeda, M. Shimizu, J. Koizumi, H. Mabuchi, Long-term probucol treatment results in regression of xanthomas, but in progression of coronary atherosclerosis in a heterozygous patient with familial hypercholesterolemia 120, 181  
 Kammerer, C.M., J.L. VandeBerg, S.M. Haffner, J.E. Hixson, Apolipoprotein B (apo B) signal peptide length polymorphisms are associated with apo B, low density lipoprotein cholesterol, and glucose levels in Mexican Americans 120, 37  
 Kaneko, K., see Kinoshita, M. 120, 75  
 Katan, M.B., see Zock, P.L. 120, 247  
 Kinoshita, M., T. Teramoto, N. Shimazu, K. Kaneko, M. Ohta, T. Koike, S. Hosogaya, Y. Ozaki, S. Kume, M. Yamanaka, CETP is a determinant of serum LDL-cholesterol but not HDL-cholesterol in healthy Japanese 120, 75  
 Kockx, M.M., G.R.Y. De Meyer, J. Muhring, H. Bult, J. Bultinck, A.G. Herman, Distribution of cell replication and apoptosis in atherosclerotic plaques of cholesterol-fed rabbits 120, 115  
 Kohen Avramoglu, R., see Cianflone, K. 120, 101  
 Koike, T., see Kinoshita, M. 120, 75  
 Koizumi, J., see Kajinami, K. 120, 181  
 Kumabashiri, I., see Morishita, E. 120, 7  
 Kumar, S., see Blann, A.D. 120, 221  
 Kume, S., see Kinoshita, M. 120, 75
- Leake, D.S., see Forster, B.A. 120, 249  
 Lestavel, S., see Igau, B. 120, 209  
 Leutenegger, M., see Durlach, V. 120, 155  
 Lipke, D.W., see Ramasamy, S. 120, 199  
 Longoni, A., see Violí, F. 120, 25
- Mabuchi, H., see Kajinami, K. 120, 181  
 Mathot, J.N.N.J., see Wiseman, S.A. 120, 15
- Matsuda, I., see Suginoara, Y. 120, 167  
 Matsuda, T., see Morishita, E. 120, 7  
 Miyazaki, A., see Suginoara, Y. 120, 167  
 Morishita, E., H. Asakura, H. Jokaji, M. Saito, C. Uotani, I. Kumabashiri, M. Yamazaki, K. Aoshima, T. Hashimoto, T. Matsuda, Hypercoagulability and high lipoprotein(a) levels in patients with type II diabetes mellitus 120, 7  
 Muhring, J., see M. Kockx, M. 120, 115
- Nadeau, M.R., see G. Bostom, A. 120, 241  
 Näveri, H., see Tikkanen, H.O. 120, 1  
 Nevin, N.C., see Ward, A.J. 120, 83  
 Newby, A.C., see J. George, S. 120, 227  
 Nicholls, D.P., see Ward, A.J. 120, 83  
 Nishitsuji, M., see Kajinami, K. 120, 181
- O'Kane, M., see Ward, A.J. 120, 83  
 Ohta, M., see Kinoshita, M. 120, 75  
 Ohta, T., see Suginoara, Y. 120, 167  
 Ozaki, Y., see Kinoshita, M. 120, 75
- Ramasamy, S., D.W. Lipke, G.A. Boissonneault, H. Guo, B. Hennig, Oxidized lipid-mediated alterations in proteoglycan metabolism in cultured pulmonary endothelial cells 120, 199  
 Robert, L., see Bizbiz, L. 120, 47  
 Rosseneu, M., see Braeckman, L. 120, 67
- Saito, M., see Morishita, E. 120, 7  
 Sakamoto, Y.-I., see Suginoara, Y. 120, 167  
 Sawyez, C., see Cianflone, K. 120, 101  
 Selhub, J., see G. Bostom, A. 120, 241  
 Shemin, D., see G. Bostom, A. 120, 241  
 Shimazu, N., see Kinoshita, M. 120, 75  
 Shimizu, M., see Kajinami, K. 120, 181  
 Slomianny, C., see Igau, B. 120, 209  
 Suginoara, Y., A. Miyazaki, H. Hakamata, Y.-I. Sakamoto, T. Ohta, I. Matsuda, S. Horiuchi, The heparin-bound fraction of human lipoprotein-deficient serum inhibits endocytic uptake of oxidized low density lipoprotein by macrophages 120, 167
- Tai, T.-Y., see Tseng, C.-H. 120, 125  
 Takahashi, A., T. Taniguchi, Y. Fujioka, Y. Ishikawa, M. Yokoyama, Effects of lipoprotein(a) and low density lipoprotein on growth of mitogen-stimulated human umbilical vein endothelial cells 120, 93  
 Takeda, Y., see Kajinami, K. 120, 181  
 Taniguchi, T., see Takahashi, A. 120, 93  
 Teramoto, T., see Kinoshita, M. 120, 75  
 Tjburg, L.B.M., see Wiseman, S.A. 120, 15  
 Tikkanen, H.O., H. Näveri, M. Härkönen, Viewpoint Skeletal muscle fiber distribution influences serum high-density lipoprotein cholesterol level 120, 1  
 Tseng, C.-H., C.-K. Chong, C.-J. Chen, T.-Y. Tai, Dose-response relationship between peripheral vascular disease and ingested inorganic arsenic among residents in blackfoot disease endemic villages in Taiwan 120, 125

- Uotani, C., see Morishita, E. 120, 7
- van Tol, A., see Zock, P.L. 120, 247
- VandeBerg, J.L., see Kammerer, C.M. 120, 37
- Violi, F., M. Criqui, A. Longoni, C. Castiglioni, The A.D.E.P. Group, Relation between risk factors and cardiovascular complications in patients with peripheral vascular disease. Results from the A.D.E.P. study 120, 25
- Wahlqvist, M.L., see Hodgson, J.M. 120, 147
- Wang, J.M., see Blann, A.D. 120, 221
- Ward, A.J., M. O'Kane, D.P. Nicholls, I.S. Young, N.C. Nevin, C.A. Graham, A novel single base deletion in the LDLR gene (211delG): Effect on serum lipid profiles and the influence of other genetic polymorphisms in the ACE, APOE and APOB genes 120, 83
- Weinberg, P.D., see Forster, B.A. 120, 249
- Williams, A., see J. George, S. 120, 227
- Wilson, P.B., see Blann, A.D. 120, 221
- Wiseman, S.A., J.N.N.J. Mathot, N.J. de Fouw, L.B.M. Tijburg, Dietary non-tocopherol antioxidants present in extra virgin olive oil increase the resistance of low density lipoproteins to oxidation in rabbits 120, 15
- Yamanaka, M., see Kinoshita, M. 120, 75
- Yamazaki, M., see Morishita, E. 120, 7
- Yeaman, S.J., see Graham, A. 120, 135
- Yoburn, D., see G. Bostom, A. 120, 241
- Yokoyama, M., see Takahashi, A. 120, 93
- Young, I.S., see Ward, A.J. 120, 83
- Yu, P.H., D.M. Zuo, Formaldehyde produced endogenously via deamination of methylamine. A potential risk factor for initiation of endothelial injury 120, 189
- Zahouani, A., see Durlach, V. 120, 155
- Zock, P.L., A. van Tol, M.B. Katan, Reply 120, 247
- Zuo, D.M., see Yu, P.H. 120, 189



## Subject index

### Volume 120 (1996)

---

ACE 120, 83  
Aging lipoproteins 120, 47  
Alcohol intake 120, 75  
Amine oxidase 120, 189  
Antioxidant 120, 15  
Apo E polymorphism 120, 67  
Apolipoprotein B 120, 37, 83, 209  
Apolipoprotein E 120, 83  
Apolipoproteins 120, 75  
Apoptosis 120, 115  
Arsenic 120, 125  
Arteriosclerosis 120, 227  
Atherogenesis 120, 209  
Atherosclerosis 120, 47, 115, 189, 199, 221  
Atherosclerosis distribution 120, 249

Blackfoot disease 120, 125

Cardiovascular disease 120, 25  
Cardiovascular risk factor 120, 47  
Cell proliferation 120, 227, 93  
Cell replication 120, 115  
Cerebrovascular disease 120, 25  
Cholesterol 120, 115  
Cholesteryl esters 120, 135  
Cholesteryl ester transfer protein 120, 75, 155  
Cigarette smoking 120, 75  
Conjugated diene formation 120, 15  
Coronary artery bypass grafting 120, 227  
Coronary artery disease 120, 147  
Coronary atherosclerosis 120, 181  
Coronary heart disease 120, 1, 7  
Cytotoxicity 120, 189

Diabetes 120, 189  
Diabetes mellitus 120, 7

Elaidic acid 120, 147  
Elastase 120, 47  
Endothelial cells 120, 93, 199, 221  
Endothelial injury 120, 189

Epidemiology 120, 47, 67  
Epitopes 120, 209

Familial hypercholesterolaemia 120, 83  
Familial hypercholesterolemia 120, 57, 181  
Fat load 120, 155  
FHHL rabbits 120, 249  
Fibrinogen 120, 7, 25  
Fluorescent sequencing 120, 83  
Foam cells 120, 115, 135  
Formaldehyde 120, 189

Genetics 120, 37  
Glucose 120, 37  
Growth factors 120, 227

HDL 120, 155  
Hepatocyte 120, 101  
High-density lipoprotein cholesterol 120, 1  
Hypercholesterolaemia 120, 221  
Hyperhomocysteinemia 120, 241

In situ end labeling 120, 115  
Insulin-dependent diabetes mellitus 120, 209

LDL receptor 120, 209  
LDLR mutation 120, 83  
Lecithin cholesterol acyl transferase 120, 155  
Lifestyle 120, 67  
Lipid deposits 120, 249  
Lipids 120, 37  
Lipoprotein(a) 120, 7, 93  
Lipoprotein-deficient serum 120, 167  
Lipoprotein particle 120, 209  
Lipoproteins 120, 67, 75, 101, 135  
Low density lipoprotein 120, 15, 93  
Low density lipoprotein receptor 120, 57

Macrophage 120, 167  
Macrophages 120, 135  
Methylamine 120, 189

- Mexican Americans 120, 37
- Muscle fiber types 120, 1
- Mutations 120, 57
  
- N*-acetylcysteine 120, 241
- NIDDM 120, 155
- NZW rabbits 120, 249
  
- Olive oils 120, 15
- Oxidized lipids 120, 199
- Oxidized low density lipoprotein 120, 167
  
- Peripheral vascular disease 120, 25, 125
- Plasminogen activator inhibitor-1 120, 7
- Polymorphism 120, 83
- Polyphenols 120, 15
- Probucol 120, 181
- Proteoglycan 120, 101
- Proteoglycans 120, 199
  
- Rabbits 120, 15
- Renal failure 120, 241
- Retinyl palmitate 120, 155
  
- Reverse cholesterol transport 120, 75
- Risk factors 120, 25
  
- Scavenger receptor 120, 167
- Single-strand conformation polymorphisms 120, 57
- Skeletal muscle 120, 1
- Smooth muscle cell 120, 115
- Soluble E-selectin 120, 221
  
- TGF- $\beta$  receptor 120, 221
- Thrombin-antithrombin III complex 120, 7
- Trans* fatty acids 120, 147
- Treatment 120, 241
  
- von Willebrand factor 120, 221
- Vascular smooth muscle 120, 227
- VLDL 120, 101
  
- Water pollutant 120, 125
- White blood cells 120, 25
  
- Xanthoma 120, 181

*Contents continued from back cover*

Impaired mobilisation of cholesterol from stored cholesteryl esters in human (THP-1) macrophages	
A. Graham, A.D.R. Angell, C.A. Jepson, S.J. Yeaman, D.G. Hassall (UK)	135
Platelet <i>trans</i> fatty acids in relation to angiographically assessed coronary artery disease	
J.M. Hodgson, M.L. Wahlqvist, J.A. Boxall, N.D. Balazs (Australia)	147
Postprandial cholesteryl ester transfer and high density lipoprotein composition in normotriglyceridemic non-insulin-dependent diabetic patients	
V. Durlach, N. Attia, A. Zahouani, M. Leutenegger, A. Girard-Globa (France)	155
The heparin-bound fraction of human lipoprotein-deficient serum inhibits endocytic uptake of oxidized low density lipoprotein by macrophages	
Y. Sugihara, A. Miyazaki, H. Hakamata, Yu.-I. Sakamoto, T. Ohta, I. Matsuda, S. Horiuchi (Japan)	167
Long-term probucol treatment results in regression of xanthomas, but in progression of coronary atherosclerosis in a heterozygous patient with familial hypercholesterolemia	
K. Kajinami, M. Nishitsuji, Y. Takeda, M. Shimizu, J. Koizumi, H. Mabuchi (Japan)	181
Formaldehyde produced endogenously <i>via</i> deamination of methylamine. A potential risk factor for initiation of endothelial injury	
P.H. Yu, D.M. Zuo (Canada)	189
Oxidized lipid-mediated alterations in proteoglycan metabolism in cultured pulmonary endothelial cells	
S. Ramasamy, D.W. Lipke, G.A. Boissonneault, H. Guo, B. Hennig (USA)	199
Apo B-containing lipoprotein particles in poorly controlled insulin-dependent diabetes	
B. Igau, S. Lestavel, V. Clavey, C. Slomianny, P. Drouin, R. Bresson, J.-C. Fruchart, P. Duriez, C. Fiévet (France)	209
Serum levels of the TGF-beta receptor are increased in atherosclerosis	
A.B. Blann, J.M. Wang, P.B. Wilson, S. Kumar (UK)	221
An essential role for platelet-derived growth factor in neointima formation in human saphenous vein <i>in vitro</i>	
S.J. George, A. Williams, A.C. Newby (UK)	227
<i>Brief report</i>	
Lack of effect of oral <i>N</i> -acetylcysteine on the acute dialysis-related lowering of total plasma homocysteine in hemodialysis patients	
A.G. Bostom, D. Shemin, D. Yoburn, D.H. Fisher, M.R. Nadeau, J. Selhub (USA)	241
<i>Letters of the Editors</i>	
<i>Trans</i> fatty acids in hardened vegetable oils	
O. Holmqvist (Sweden)	245
Reply	
P.L. Zock, A. van Tol, M.B. Katan (The Netherlands)	247
High-resolution mapping of the frequency of lipid deposits in thoracic aortae from cholesterol-fed and heritable hyperlipidaemic rabbits	
B.A. Forster, Q. Javed, D.S. Leake, P.D. Weinberg (UK)	249
<i>Book review</i>	255
<i>Obituary</i>	257
<i>Announcement</i>	259
<i>Author index</i>	261
<i>Subject index</i>	264